



BHS - Diagnostic Services

Drummond St Nth, P.O. Box 577, Ballarat. Ph (03) 5320 4201 Fax (03) 5320 4713
diagnostic@bhs.org.au

Patient Details
(Inpatient label)

Examinations
Requested:

Clinical History:

Referred By:

Provider No:

Signature:

Date:

Copy to:

Examinations available

- EEG
- ECG
 - with report
 - without report
- Holter Monitor
 - 24 hour
 - 48hour
 - Event
- 24hr Blood Pressure Monitor
- Respiratory Function Tests
 - Spirometry
 - DLCO (Hb required)
 - Bronchial Provocation
 - MIPs & MEPS
 - Plethysmography (TLC)
 - MVV
- Echocardiography
 - Adult
 - Paediatric
 - Stress Echo
- Pacemaker Check
(State the brand inserted)
- 6 minute walk test
- H.pylori* breath test
- Exercise Stress Test
(Hospital req only)
- Other tests
as discussed with technicians

Transport

For inpatients

- Bed
- Trolley
- Wheelchair
- Oxygen

Medications




Ballarat Health Services

Diagnostic Services
First Floor Sloss House
(near the cafeteria)

All enquires:
Ph: (03) 5320 4201
Fax: (03) 5320 4713

Your Appointment:

.....



Map of hospital first floor
Take lift in the BRICC building to the first floor

Preparation Guidelines and Patient Information

Holter, ECG, Echo, 6 minute walk test, Pacemaker testing – no preparation required.

Respiratory Function tests– Inhalers need to be withheld prior to the examination.

Short acting inhalers – including, Ventolin, Asmol, Atrovent, Bricanyl, Berotec, Combivent and Respolin, withhold for 6 hours prior to the test – if possible.

Long acting inhalers – including, Serevent, Seretide, Oxis, Floradile, Intal, Qvar, Symbicort and Tilade, withhold for 16 hours before the test.

Withhold Spiriva and Onbrez for 24 hours before the test. **NO SMOKING ON THE DAY OF TEST**

Testing cannot be performed if you have:

- an active chest infection
- or have had recent chest or abdominal surgery
- or pulmonary emboli.

EEG – 1 hour fast prior to the procedure. Wash hair and use no products.

Up to the age of 16 years the child needs to be sleep deprived. Please ensure the child is ready for a sleep and bring a bottle if appropriate

Stress testing – (Exercise or Echo) – Medications need to be withheld prior.

BP monitor – wear loose fitting clothing over your arms and chest.

There is an out of pocket charge for this test as it is not covered by Medicare

Helicobacter pylori Breath Test – No antibiotics for 1 month prior.

One week prior medications for stomach pain need to be ceased, these include: Cimetidine, Nexium, Famodikine, Zopral, Nizatidene, Losec, Pariet, and Ranitidine. Nothing to eat or drink for 6 hours prior to the appointment

6 Minute Walk Test

There is an out of pocket charge for this test as it is not covered by Medicare

**For further information and appointments
please phone (03) 5320 4201**